

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/722,177		11/25/2003	Jimmie R. Baran JR.	58962US002	7020
32692	7590	04/05/2006		EXAMINER	
3M INNOV PO BOX 334		PROPERTIES CO	SANDERS, KRIELLION ANTIONETTE		
	ST. PAUL, MN 55133-3427			ART UNIT	PAPER NUMBER
,				1714	

DATE MAILED: 04/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
	Office Action Summary	10/722,177	BARAN ET AL.			
	Office Action Summary	Examiner	Art Unit			
	T	Kriellion A. Sanders	1714			
Period for	The MAILING DATE of this communication ap Reply	pears on the cover sheet with the c	orrespondence address			
VVHICH - Extension - Extension - If NO pe - Failure to Any rep	RTENED STATUTORY PERIOD FOR REPLEVER IS LONGER, FROM THE MAILING DESCRIPTION OF THE MAILING DESCRIPTIO	PATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from a cause the application to become ARANDONE.	l. rely filed the mailing date of this communication.			
Status						
1)⊠ R	Responsive to communication(s) filed on <u>23 January 2006</u> .					
	This action is <b>FINAL</b> . 2b) This action is non-final.					
3)∐ S	•	application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition						
4) Claim(s) 1-21 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.  5) Claim(s) is/are allowed.  6) Claim(s) 1-21 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or election requirement.						
Application	n Papers					
10)∏ Th Al Ro	e specification is objected to by the Examine drawing(s) filed on is/are: a) acception and acception and request that any objection to the eplacement drawing sheet(s) including the correct e oath or declaration is objected to by the Examine.	epted or b) objected to by the E drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).			
Priority und	der 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)	•					
2)  Notice o 3)  Informat	f References Cited (PTO-892)  f Draftsperson's Patent Drawing Review (PTO-948)  ion Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  o(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:				

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ducoffre et al, US Patent No. 6649672 in view of Houlihan, et al. US Patent No. 6,700,708.

The invention to Ducoffre et al relates to binders modified with nanoparticles for lacquer systems, to coating compositions containing them and to the use thereof. Preferred single- or two-component lacquer systems are those which contain epoxy-functional binders modified with nanoparticles, especially epoxy-functional (meth)acrylic copolymers modified with nanoparticles, in combination with carboxyl-functional crosslinking agents. In addition to the binders modified with nanoparticles, the coating compositions according to the invention can contain further binders conventionally employed in lacquers, which further binders can optionally be provided with reactive groups, especially with the same reactive groups as the binders modified with nanoparticles. The coating compositions according to the invention can be formulated without a solvent, or they contain organic solvents conventionally employed in lacquers, with or without water. Aqueous coating compositions may be present, for example, in the form of an emulsion. The emulsified state can be achieved by the addition of external emulsifiers, or the systems may contain ionic groups, which have a self-emulsifying action in water. The weight ratios of the solids in the coating compositions according to the invention,

total 100 wt. %, and range from 60 to 100 wt. % binders modified with nanoparticles to from 0 to 40 wt. % crosslinking agents to from 0 to 40 wt. % further binders.

The coating compositions according to the invention can be used to produce any desired coating layers, for example to produce primer, base lacquer, surfacer, finishing lacquer, clear lacquer layers. They can be applied by conventional application methods to any desired substrates, for example of metal, plastics, wood, glass. Examples of application methods are spread-coating, roller coating, blade coating, dip-coating, but especially spraying. After application, and after an optional phase of exposure to air or melting, the coating layers applied from the coating compositions according to the invention are dried or cured.

The coating compositions according to the invention can contain pigments and/or fillers, as well as additives conventionally employed in lacquers, in the amounts conventional in lacquers.

See col. 6, lines 23 -67.

Houlihan, et al. US Patent No. 6,700,708 discloses a micro-lens array including a base element and a plurality of lenses formed of an epoxy resin and nanoparticles. Patentee teaches that when the epoxy resin is uncured and filled with nanoparticles, the resin must have good solubility in a solvent, such as 1-methoxy-2-propanol acetate ("PGMEA") or methylethylketone ("MEK"). An ideal solvent should not only dissolve the resin but should also be miscible with the solvent used for the colloidal suspension, should be able to maintain the colloidal suspension for at least an hour, and should have sufficient volatility to allow for easy removal under vacuum with moderate heating (up to 100.degree. C.). Finally, if the epoxy is filled with nanoparticles, it should be able to retain a suspension of particles, remain process-able prior to exposure long

Application/Control Number: 10/722,177

Art Unit: 1714

miscibility characteristics.

enough for molding (up to at least 20 minutes), and after cure maintain all the above noted

Page 4

requirements of the cured resin. See col. 4, lines 8-45.

Utilization of the1-methoxy-2-propanol acetate of Houlihan et al as the solvent for the nanoparticle-containing epoxy resin compositions of Ducoffre et al would have been obvious to one of ordinary skill in the art at the time of applicant's invention to achieve good solubility and

Response to Arguments

1. Applicant's arguments filed 1/23/06 have been fully considered but they are not

persuasive. In response to applicant's argument that the references fail to show certain features

of applicant's invention, it is noted that the features upon which applicant relies (i.e., a definition

of compatibility which signifies that that it is "assessed" by measuring the viscosity build in a

"mixture" of the liquid with increasing amounts (percent by weight) of nanoparticles such that

one of ordinary skill in the art would consider the particles as having a "compatibility with a

material as opposed to being reacted with that material), are not recited in the rejected claim(s).

Applicant is advised that the term "compatible" in the polymer arts may possess different

definitions. The term often relates to the ability of resins or other substances within a resinous

blend to form a homogenous mixture. In this case, the term, "compatible" as used in the present

claims is not clearly ascertained to have the meaning applicant suggests.

2. Although the present claims are interpreted in light of the specification, limitations from

the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26

USPQ2d 1057 (Fed. Cir. 1993).

3. Applicant's specification at pages 7 and 8 actually reads:

"One method of assessing the compatability of surface-modified nanoparticles with liquid materials is to increase the viscosity of a mixture of the liquid with increasing amounts (percent by weight) of nanoparticles. A chart can be prepared comparing the viscosity increase with an increase in the weight percent of nanoparticles for various liquids. A liquid having a lower rate of viscosity build is more compatible with the nanoparticles than a liquid having a higher rate of viscosity build. By altering the surface-modifying groups, the relative compatibility with various liquids can be adjusted.

If the nanoparticles are not compatible with, or have very low compatibility with a particular liquid, they will not be sufficiently wet by that liquid and they will aggregate and separate out of the liquid. In such cases, meaningful viscosity build data generally cannot be obtained. For example, hydrophobically surface-modified nanoparticles are expected to have very low, or no compatibility with polar solvents (e.g., water and/or alcohols). The compatibility of the nanoparticles with such liquids would be ranked lower that the compatibility with the liquid showing the highest rate of viscosity build.

4. Applicant is advised that excerpt from his specification relates to one method for assessing the compatibility of a nanoparticle to a liquid. This excerpt of the specification does not clearly support that the compatibility of the nanoparticles and liquids of the present claims is determined by this method. Applicant has acted as his or her own lexicographer to specifically define a term of a claim contrary to its ordinary meaning. The written description must clearly redefine the claim term and set forth the uncommon definition so as to put one reasonably skilled in the art on notice that the applicant intended to so redefine that claim term. *Process Control Corp. v. HydReclaim Corp.*, 190 F.3d 1350, 1357, 52 USPQ2d 1029, 1033 (Fed. Cir. 1999).

Because the epoxy based coating compositions of Ducoffre et al may be formulated with organic solvents conventionally employed in lacquers, and since Houlihan et al discloses that when the epoxy resin of his invention is uncured and filled with nanoparticles, the resin must have good solubility in a solvent, such as 1-methoxy-2-propanol acetate ("PGMEA") or methylethylketone ("MEK"), utilization of the specific 1-methoxy-2-propanol acetate of Houlihan et al as the solvent for the nanoparticle-containing epoxy resin compositions of Ducoffre et al would have been obvious to one of ordinary skill in the art at the time of applicant's invention to achieve good solubility and miscibility characteristics. In this case, "compatibility" is considered to be represented by good solubility and miscibility characteristics.

Prior art cited on a form 1449 must include a month and year of publication to be fully considered.

## **Conclusion**

1. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kriellion A. Sanders whose telephone number is 571-272-1122. The examiner can normally be reached on Monday through Thursday 6:30-7:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on 571-272-1119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kriellion A. Sanders
Primary Examiner
Art Unit 1714